

# **EANCOM SLSRPT D96A**

## **Version: 1.3**

**Modified: 05.06.2014**

# Table of Contents

<b>SLSRPT</b>	<b>Sales data report message</b>	<b>1</b>
<b>UNB</b>	<b>INTERCHANGE HEADER</b>	<b>2</b>
<b>UNH</b>	<b>MESSAGE HEADER</b>	<b>4</b>
<b>BGM</b>	<b>BEGINNING OF MESSAGE</b>	<b>6</b>
<b>DTM</b>	<b>DATE/TIME/PERIOD</b>	<b>7</b>
<b>Group 1</b>	<b>Segment Group 1</b>	<b>8</b>
<b>NAD</b>	<b>NAME AND ADDRESS</b>	<b>9</b>
<b>Group 1</b>	<b>Segment Group 1</b>	<b>10</b>
<b>NAD</b>	<b>NAME AND ADDRESS</b>	<b>11</b>
<b>Group 4</b>	<b>Segment Group 4</b>	<b>12</b>
<b>CUX</b>	<b>CURRENCIES</b>	<b>13</b>
<b>Group 5</b>	<b>Segment Group 5</b>	<b>14</b>
<b>LOC</b>	<b>PLACE/LOCATION IDENTIFICATION</b>	<b>15</b>
<b>DTM</b>	<b>DATE/TIME/PERIOD</b>	<b>16</b>
<b>DTM</b>	<b>DATE/TIME/PERIOD</b>	<b>17</b>
<b>Group 7</b>	<b>Segment Group 7</b>	<b>18</b>
<b>LIN</b>	<b>LINE ITEM</b>	<b>19</b>
<b>PIA</b>	<b>ADDITIONAL PRODUCT ID</b>	<b>20</b>
<b>MOA</b>	<b>MONETARY AMOUNT</b>	<b>21</b>
<b>Group 8</b>	<b>Segment Group 8</b>	<b>22</b>
<b>QTY</b>	<b>QUANTITY</b>	<b>23</b>
<b>Group 8</b>	<b>Segment Group 8</b>	<b>24</b>
<b>QTY</b>	<b>QUANTITY</b>	<b>25</b>
<b>Group 8</b>	<b>Segment Group 8</b>	<b>26</b>
<b>QTY</b>	<b>QUANTITY</b>	<b>27</b>
<b>UNT</b>	<b>MESSAGE TRAILER</b>	<b>28</b>
<b>UNZ</b>	<b>INTERCHANGE TRAILER</b>	<b>29</b>

# SLSRPT Sales data report message

## Message Status=1

**Definition:** A message to enable the transmission of sales data related to products or services, such as corresponding location, period, product identification, pricing, monetary amount, quantity, market sector information, sales parties. It enables the recipient to process the information automatically and use it for production, planning, marketing, statistical purposes, etc.

### Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
	UNB	INTERCHANGE HEADER	M	1		Must use

### Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1		Must use
0020	BGM	BEGINNING OF MESSAGE	M	1		Must use
0030	DTM	DATE/TIME/PERIOD	M	5		Must use
<b>0040</b>		<b>Segment Group 1</b>	<b>M</b>	<b>5</b>		<b>Must use</b>
0050	NAD	NAME AND ADDRESS	M	1		Must use
<b>0040</b>		<b>Segment Group 1</b>	<b>M</b>	<b>5</b>		<b>Must use</b>
0050	NAD	NAME AND ADDRESS	M	1		Must use
<b>0120</b>		<b>Segment Group 4</b>	<b>M</b>	<b>5</b>		<b>Must use</b>
0130	CUX	CURRENCIES	M	1		Must use

### Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
<b>0150</b>		<b>Segment Group 5</b>	<b>M</b>	<b>200000</b>		<b>Must use</b>
0160	LOC	PLACE/LOCATION IDENTIFICATION	M	1		Must use
0170	DTM	DATE/TIME/PERIOD	M	5		Must use
0170	DTM	DATE/TIME/PERIOD	M	5		Must use
<b>0210</b>		<b>Segment Group 7</b>	<b>M</b>	<b>200000</b>		<b>Used</b>
0220	LIN	LINE ITEM	M	1		Must use
0230	PIA	ADDITIONAL PRODUCT ID	C	5		Used
0290	MOA	MONETARY AMOUNT	M	5		Must use
<b>0320</b>		<b>Segment Group 8</b>	<b>M</b>	<b>1</b>		<b>Must use</b>
0330	QTY	QUANTITY	M	1		Must use
<b>0320</b>		<b>Segment Group 8</b>	<b>M</b>	<b>1</b>		<b>Must use</b>
0330	QTY	QUANTITY	M	1		Must use
<b>0320</b>		<b>Segment Group 8</b>	<b>M</b>	<b>1</b>		<b>Must use</b>
0330	QTY	QUANTITY	M	1		Must use
0360	UNT	MESSAGE TRAILER	M	1		Must use

### Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
	UNZ	INTERCHANGE TRAILER	M	1		Must use

# UNB INTERCHANGE HEADER

Pos:	Max: 1
Mandatory	
Group: N/A	Elements: 7

**User Option (Usage):** Must use

**Function:** To identify an interchange. S001/0002, shall be '4' to indicate this version of the syntax.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNB010	S001	SYNTAX IDENTIFIER	M	Comp		Must use
<b>Description:</b> S001 Identification of the agency controlling the syntax, the syntax level and version number, and the service code directory.						
UNB010-010	0001	Syntax identifier	M	a	4/4	Must use
<b>Description:</b> Coded identification of the agency controlling the syntax, and of the character repertoire used in an interchange.						
<b>CodeList Summary</b> (Total Codes: 15, Included: 2)						
<u>Code</u> <u>Name</u>						
UNOA   UN/ECE level A						
<b>Description:</b> <i>As defined in the basic code table of ISO 646 with the exceptions of lower case letters, alternative graphic character allocations and national or application-oriented graphic character allocations.</i>						
UNOC   UN/ECE level C						
<b>Description:</b> <i>As defined in ISO/IEC 8859-1 : Information technology - Part 1: Latin alphabet No. 1.</i>						
UNB010-020	0002	Syntax version number	M	an	1/1	Must use
<b>Description:</b> Version number of the syntax.						
<b>CodeList Summary</b> (Total Codes: 4, Included: 1)						
<u>Code</u> <u>Name</u>						
2   Version 2						
<b>Description:</b> <i>ISO 9735:1990.</i>						
UNB020	S002	INTERCHANGE SENDER	M	Comp		Must use
UNB020-010	0004	Interchange sender identification	M	an	1/35	Must use
<b>Description:</b> Name or coded identification of the sender of the interchange.						
UNB020-020	0007	Identification code qualifier	C	an	1/4	Used
<b>Description:</b> Qualifier referring to the identification code.						
<b>CodeList Summary</b> (Total Codes: 47, Included: 1)						
<u>Code</u> <u>Name</u>						
14   GS1						
<b>Description:</b> <i>Partner identification code assigned by GS1, an international organization of GS1 Member Organizations that manages the GS1 System.</i>						

UNB030	S003	<b>INTERCHANGE RECIPIENT</b>	M	Comp		Must use
UNB030-010	0010	<b>Interchange recipient identification</b>	M	an	1/35	Must use
		<b>Description:</b> Name or coded identification of the recipient of the interchange.				
UNB030-020	0007	<b>Identification code qualifier</b>	C	an	1/4	Used
		<b>Description:</b> Qualifier referring to the identification code.				
		<b>CodeList Summary</b> (Total Codes: 47, Included: 1)				
		<b>Code</b> <b>Name</b>				
		14 GS1				
		<b>Description:</b> <i>Partner identification code assigned by GS1, an international organization of GS1 Member Organizations that manages the GS1 System.</i>				
UNB040	S004	<b>DATE AND TIME OF PREPARATION</b>	M	Comp		Must use
UNB040-010	0017	<b>Date</b>	M	n	8/8	Must use
		<b>Description:</b> Local date when an interchange or a group was prepared.				
UNB040-020	0019	<b>Time</b>	M	n	4/4	Must use
		<b>Description:</b> Local time of day when an interchange or a group was prepared.				
UNB050	0020	<b>Interchange control reference</b>	M	an	1/14	Must use
		<b>Description:</b> Unique reference assigned by the sender to an interchange.				
UNB090	0031	<b>Acknowledgement request</b>	C	n	1/1	Used
		<b>Description:</b> Code requesting acknowledgement for the interchange.				
UNB100	0032	<b>Interchange agreement identifier</b>	C	an	1/35	Used
		<b>Description:</b> Identification by name or code of the type of agreement under which the interchange takes place.				

**Example:**

UNB+UNOC:2+<Sender GLN>:14+<Receiver GLN>:14+140407:0427+8++++1+EANCOM'

# UNH MESSAGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 4

**User Option (Usage):** Must use

**Function:** To head, identify and specify a message.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNH010	0062	<b>Message reference number</b>  <b>Description:</b> Unique message reference assigned by the sender.	M	an	1/14	Must use
UNH020	S009	<b>MESSAGE IDENTIFIER</b>  <b>Description:</b> Identification of the type, version etc. of the message being interchanged.	M	Comp		Must use
UNH020-010	0065	<b>Message type identifier</b>  <b>Description:</b> Code identifying a type of message and assigned by its controlling agency. <b>All valid standard codes are used. (Total Codes: 126)</b>	M	an	1/6	Must use
UNH020-020	0052	<b>Message type version number</b>  <b>Description:</b> Version number of a message type.	M	an	1/3	Must use
UNH020-030	0054	<b>Message type release number</b>  <b>Description:</b> Release number within the current message type version number (0052).	M	an	1/3	Must use
UNH020-040	0051	<b>Controlling agency</b>  <b>Description:</b> Code identifying the agency controlling the specification, maintenance and publication of the message type. <b>All valid standard codes are used. (Total Codes: 20)</b>	M	an	1/2	Must use
UNH020-050	0057	<b>Association assigned code</b>  <b>Description:</b> Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.	C	an	1/6	Used
UNH030	0068	<b>Common access reference</b>  <b>Description:</b> Reference serving as a key to relate all subsequent transfers of data to the same business case or file.	C	an	1/35	Used
UNH040	S010	<b>STATUS OF THE TRANSFER</b>  <b>Description:</b> Statement that the message is one in a sequence of	C	Comp		Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		transfers relating to the same topic.				
UNH040-010	0070	<b>Sequence message transfer number</b>	M	n	1/2	Must use
		<b>Description:</b> Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.				
UNH040-020	0073	<b>First/last sequence message transfer indication</b>	C	a	1/1	Used
		<b>Description:</b> Indication used for the first and last message in a sequence of the same type of message relating to the same topic.				
		<b>All valid standard codes are used.</b> <b>(Total Codes: 2)</b>				

**Example:**

UNH+1+SLSRPT:D:96A:UN:EAN004'

# BGM BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Mandatory	
Group: N/A	Elements: 3

**User Option (Usage):** Must use

**Function:** To indicate the type and function of a message and to transmit the identifying number.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	<b>DOCUMENT/MESSAGE NAME</b>  <b>Description:</b> Identification of a type of document/message by code or name. Code preferred.	C	Comp		Used
BGM010-010	1001	<b>Document/message name, coded</b>  <b>Description:</b> Document/message identifier expressed in code.	C	an	1/3	Used
BGM010-020	1131	<b>Code list qualifier</b>  <b>Description:</b> Identification of a code list.	C	an	1/3	Used
BGM010-030	3055	<b>Code list responsible agency, coded</b>  <b>Description:</b> Code identifying the agency responsible for a code list.  <b>CodeList Summary</b> (Total Codes: 168, Included: 1) <b><u>Code</u> <u>Name</u></b> 9 EAN (International Article Numbering association) <b>Description:</b> <i>Self explanatory.</i>	C	an	1/3	Used
BGM010-040	1000	<b>Document/message name</b>  <b>Description:</b> Plain language identifier specifying the function of a document/message.	C	an	1/35	Used
BGM020	1004	<b>Document/message number</b>  <b>Description:</b> Reference number assigned to the document/message by the issuer.	C	an	1/35	Used
BGM030	1225	<b>Message function, coded</b>  <b>Description:</b> Code indicating the function of the message.  <b>CodeList Summary</b> (Total Codes: 54, Included: 1) <b><u>Code</u> <u>Name</u></b> 9 Original <b>Description:</b> <i>Initial transmission related to a given transaction.</i>	C	an	1/3	Used

## Example:

BGM+73E::9+<Vendor Code>20140330+9'



# DTM DATE/TIME/PERIOD

Pos: 0030	Max: 5
Mandatory	
Group: N/A	Elements: 1

**User Option (Usage):** Must use

**Function:** To specify date, and/or time, or period.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
		<b>Description:</b> Date and/or time, or period relevant to the specified date/time/period type.				
DTM010-010	2005	Date/time/period qualifier	M	an	1/3	Must use
		<b>Description:</b> Code giving specific meaning to a date, time or period.				
		<b>CodeList Summary</b> (Total Codes: 321, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		137	Document/message date/time			
		<b>Description:</b> (2006) Date/time when a document/message is issued. This may include authentication.				
DTM010-020	2380	Date/time/period	C	an	1/35	Used
		<b>Description:</b> The value of a date, a date and time, a time or of a period in a specified representation.				
DTM010-030	2379	Date/time/period format qualifier	C	an	1/3	Used
		<b>Description:</b> Specification of the representation of a date, a date and time or of a period.				
		<b>CodeList Summary</b> (Total Codes: 70, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		102	CCYYMMDD			
		<b>Description:</b> Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.				

## Example:

DTM+137:20140405:102'

# Segment Group 1

Pos: 0040	Repeat: 5
Mandatory	
Group: 1	Elements: N/A

User Option (Usage): Must use

Function:

## Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0050	NAD	NAME AND ADDRESS	M	1	Must use

# NAD NAME AND ADDRESS

Pos: 0050	Max: 1
Mandatory	
Group: 1	Elements: 2

**User Option (Usage):** Must use

**Function:** To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

## Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
NAD010	3035	Party qualifier	M	an	1/3	Must use

**Description:** Code giving specific meaning to a party.

**CodeList Summary** (Total Codes: 299, Included: 1)

**Code Name**

SE Seller

**Description:** (3346) Party selling merchandise to a buyer.

NAD020	C082	PARTY IDENTIFICATION DETAILS	M	Comp		Must use
--------	------	------------------------------	---	------	--	----------

**Description:** Identification of a transaction party by code.

NAD020-010	3039	Party id. identification	M	an	1/35	Must use
------------	------	--------------------------	---	----	------	----------

**Description:** Code identifying a party involved in a transaction.

NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Must use
------------	------	-------------------------------------	---	----	-----	----------

**Description:** Code identifying the agency responsible for a code list.

**CodeList Summary** (Total Codes: 168, Included: 1)

**Code Name**

9 EAN (International Article Numbering association)

**Description:** Self explanatory.

## Example:

**Germany:** NAD+SE+5450534000017::9'

**United Kingdom:** NAD+SE+5450534000024::9'

**France:** NAD+SE+5450534000031::9'

**Italy:** NAD+SE+5450534000338::9'

**Spain:** NAD+SE+5450534001649::9'

**USA:** NAD+SE+5450534009010::9'

**Canada:** NAD+SE+5450534009027::9'

**Japan:** NAD+SE+5450534009003::9'

**China:** NAD+SE+5450534008003::9'

# Segment Group 1

Pos: 0040	Repeat: 5
Mandatory	
Group: 1	Elements: N/A

User Option (Usage): Must use  
Function:

## Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0050	NAD	NAME AND ADDRESS	M	1	Must use

# NAD NAME AND ADDRESS

Pos: 0050	Max: 1
Mandatory	
Group: 1	Elements: 2

**User Option (Usage):** Must use

**Function:** To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier	M	an	1/3	Must use

**Description:** Code giving specific meaning to a party.

**CodeList Summary** (Total Codes: 299, Included: 1)

### Code Name

SU Supplier

**Description:** (3280) Party which manufactures or otherwise has possession of goods, and consigns or makes them available in trade.

NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
--------	------	------------------------------	---	------	--	------

**Description:** Identification of a transaction party by code.

NAD020-010	3039	Party id. identification	M	an	1/35	Must use
------------	------	--------------------------	---	----	------	----------

**Description:** Code identifying a party involved in a transaction.

NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
------------	------	-------------------------------------	---	----	-----	------

**Description:** Code identifying the agency responsible for a code list.

**CodeList Summary** (Total Codes: 168, Included: 1)

### Code Name

9 EAN (International Article Numbering association)

**Description:** Self explanatory.

## Example:

NAD+SU+<Supplier GLN>::9'

# Segment Group 4

Pos: 0120	Repeat: 5
Mandatory	
Group: 4	Elements: N/A

User Option (Usage): Must use  
Function:

## Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0130	CUX	CURRENCIES	M	1	Must use

# CUX CURRENCIES

Pos: 0130	Max: 1
Mandatory	
Group: 4	Elements: 1

**User Option (Usage):** Must use

**Function:** To specify currencies used in the transaction and relevant details for the rate of exchange.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUX010	C504	<b>CURRENCY DETAILS</b>	C	Comp		Used
		<b>Description:</b> The usage to which a currency relates.				
CUX010-010	6347	<b>Currency details qualifier</b>	M	an	1/3	Must use
		<b>Description:</b> Specification of the usage to which the currency relates.				
		<b>CodeList Summary</b> (Total Codes: 7, Included: 1)				
		<b><u>Code</u> <u>Name</u></b>				
		2      Reference currency				
		<b>Description:</b> <i>The currency applicable to amounts stated. It may have to be converted.</i>				
CUX010-020	6345	<b>Currency, coded</b>	C	an	1/3	Used
		<b>Description:</b> Identification of the name or symbol of the monetary unit involved in the transaction.				
CUX010-030	6343	<b>Currency qualifier</b>	C	an	1/3	Used
		<b>Description:</b> Code giving specific meaning to data element 6345 Currency.				
		<b>CodeList Summary</b> (Total Codes: 17, Included: 1)				
		<b><u>Code</u> <u>Name</u></b>				
		10      Pricing currency				
		<b>Description:</b> <i>The name or symbol of the monetary unit used for pricing purposes.</i>				

## Example:

CUX+2:EUR:10'

# Segment Group 5

Pos: 0150	Repeat: 200000
Mandatory	
Group: 5	Elements: N/A

User Option (Usage): Must use

Function:

## Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0160	LOC	PLACE/LOCATION IDENTIFICATION	M	1	Must use
0170	DTM	DATE/TIME/PERIOD	M	5	Must use
0170	DTM	DATE/TIME/PERIOD	M	5	Must use
0210		Segment Group 7	M	200000	Used



# LOC PLACE/LOCATION IDENTIFICATION

Pos: 0160	Max: 1
Mandatory	
Group: 5	Elements: 2

**User Option (Usage):** Must use

**Function:** To identify a country/place/location/related location one/related location two.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LOC010	3227	Place/location qualifier	M	an	1/3	Must use
<b>Description:</b> Code identifying the function of a location.  <b>CodeList Summary</b> (Total Codes: 159, Included: 1) <u>Code</u> <u>Name</u> 162 Place or location of sale <b>Description:</b> <i>Place or location at which the sale takes place.</i>						
LOC020	C517	LOCATION IDENTIFICATION	C	Comp		Used
<b>Description:</b> Identification of a location by code or name.						
LOC020-010	3225	Place/location identification	C	an	1/25	Used
<b>Description:</b> Identification of the name of place/location, other than 3164 City name.						
LOC020-030	3055	Code list responsible agency, coded	C	an	1/3	Used
<b>Description:</b> Code identifying the agency responsible for a code list.  <b>CodeList Summary</b> (Total Codes: 168, Included: 1) <u>Code</u> <u>Name</u> 9 EAN (International Article Numbering association) <b>Description:</b> <i>Self explanatory.</i>						

## Example:

**Germany:** LOC+162+5450534000017::9'

**United Kingdom:** LOC+162+5450534000024::9'

**France:** LOC+162+5450534000031::9'

**Italy:** LOC+162+5450534000338::9'

**Spain:** LOC+162+5450534001649::9'

**USA:** LOC+162+5450534009010::9'

**Canada:** LOC+162+5450534009027::9'

**Japan:** LOC+162+5450534009003::9'

**China:** LOC+162+5450534008003::9'

# DTM DATE/TIME/PERIOD

Pos: 0170	Max: 5
Mandatory	
Group: 5	Elements: 1

**User Option (Usage):** Must use

**Function:** To specify date, and/or time, or period.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	<b>DATE/TIME/PERIOD</b>	M	Comp		Must use
		<b>Description:</b> Date and/or time, or period relevant to the specified date/time/period type.				
DTM010-010	2005	<b>Date/time/period qualifier</b>	M	an	1/3	Must use
		<b>Description:</b> Code giving specific meaning to a date, time or period.				
		<b>CodeList Summary</b> (Total Codes: 321, Included: 1)				
		<b><u>Code</u> <u>Name</u></b>				
		90 Report start date				
		<b>Description:</b> <i>Self explanatory.</i>				
DTM010-020	2380	<b>Date/time/period</b>	C	an	1/35	Used
		<b>Description:</b> The value of a date, a date and time, a time or of a period in a specified representation.				
DTM010-030	2379	<b>Date/time/period format qualifier</b>	C	an	1/3	Used
		<b>Description:</b> Specification of the representation of a date, a date and time or of a period.				
		<b>CodeList Summary</b> (Total Codes: 70, Included: 1)				
		<b><u>Code</u> <u>Name</u></b>				
		102 CCYYMMDD				
		<b>Description:</b> <i>Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.</i>				

## Example:

DTM+90:20140330:102'

# DTM DATE/TIME/PERIOD

Pos: 0170	Max: 5
Mandatory	
Group: 5	Elements: 1

**User Option (Usage):** Must use

**Function:** To specify date, and/or time, or period.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	<b>DATE/TIME/PERIOD</b>	M	Comp		Must use
		<b>Description:</b> Date and/or time, or period relevant to the specified date/time/period type.				
DTM010-010	2005	<b>Date/time/period qualifier</b>	M	an	1/3	Must use
		<b>Description:</b> Code giving specific meaning to a date, time or period.				
		<b>CodeList Summary</b> (Total Codes: 321, Included: 1)				
		<b><u>Code</u> <u>Name</u></b>				
		91 Report end date				
		<b>Description:</b> <i>Self explanatory.</i>				
DTM010-020	2380	<b>Date/time/period</b>	C	an	1/35	Used
		<b>Description:</b> The value of a date, a date and time, a time or of a period in a specified representation.				
DTM010-030	2379	<b>Date/time/period format qualifier</b>	C	an	1/3	Used
		<b>Description:</b> Specification of the representation of a date, a date and time or of a period.				
		<b>CodeList Summary</b> (Total Codes: 70, Included: 1)				
		<b><u>Code</u> <u>Name</u></b>				
		102 CCYYMMDD				
		<b>Description:</b> <i>Calendar date: C = Century ; Y = Year ; M = Month ; D = Day.</i>				

## Example:

DTM+91:20140405:102'

# Segment Group 7

Pos: 0210	Repeat: 200000
Mandatory	
Group: 7	Elements: N/A

User Option (Usage): Used  
Function:

## Segment Group Summary:

Pos	Tag	Segment Name	Status	Rep	Usage
0220	LIN	LINE ITEM	M	1	Must use
0230	PIA	ADDITIONAL PRODUCT ID	C	5	Used
0290	MOA	MONETARY AMOUNT	M	5	Must use
0320		Segment Group 8	M	1	Must use
0320		Segment Group 8	M	1	Must use
0320		Segment Group 8	M	1	Must use

## Example:

LIN+1++0885909096855:EN  
PIA+1+B0008GLGMC:BP  
  
LIN+1++0885909096855:EN  
PIA+1+B0008GLGMC:BP

# LIN LINE ITEM

Pos: 0220	Max: 1
Mandatory	
Group: 7	Elements: 2

**User Option (Usage):** Must use

**Function:** To identify a line item and configuration.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	Line item number	C	n	1/6	Used
		<b>Description:</b> Serial number designating each separate item within a series of articles.				
LIN030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		<b>Description:</b> Goods identification for a specified source.				
LIN030-010	7140	Item number	C	an	1/35	Used
		<b>Description:</b> A number allocated to a group or item.				
LIN030-020	7143	Item number type, coded	C	an	1/3	Used
		<b>Description:</b> Identification of the type of item number.				
		<b>CodeList Summary</b> (Total Codes: 70, Included: 3)				
		<b>Code</b>	<b>Name</b>			
		EN	International Article Numbering Association (EAN)			
			<b>Description:</b> Number assigned to a manufacturer's product according to the International Article Numbering Association.			
		UP	UPC (Universal product code)			
			<b>Description:</b> Number assigned to a manufacturer's product by the Product Code Council.			
		SRV	GTIN			

## Example:

LIN+1++0885909096855:EN'

# PIA ADDITIONAL PRODUCT ID

Pos: 0230	Max: 5
Conditional	
Group: 7	Elements: 2

**User Option (Usage):** Used

**Function:** To specify additional or substitutional item identification codes.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PIA010	4347	<b>Product id. function qualifier</b>	M	an	1/3	Must use
<b>Description:</b> Indication of the function of the product code.						
<b>CodeList Summary</b> (Total Codes: 8, Included: 2)						
<b><u>Code</u> <u>Name</u></b>						
1 Additional identification						
<b>Description:</b> Information which specifies and qualifies product identifications.						
5 Product identification						
<b>Description:</b> Self explanatory.						
PIA020	C212	<b>ITEM NUMBER IDENTIFICATION</b>	M	Comp		Must use
<b>Description:</b> Goods identification for a specified source.						
PIA020-010	7140	<b>Item number</b>	C	an	1/35	Used
<b>Description:</b> A number allocated to a group or item.						
PIA020-020	7143	<b>Item number type, coded</b>	C	an	1/3	Used
<b>Description:</b> Identification of the type of item number.						
<b>CodeList Summary</b> (Total Codes: 69, Included: 3)						
<b><u>Code</u> <u>Name</u></b>						
BP Buyer's part number						
<b>Description:</b> Reference number assigned by the buyer to identify an article.						
IB ISBN (International Standard Book Number)						
SA Supplier's article number						
<b>Description:</b> Number assigned to an article by the supplier of that article.						

## Example:

PIA+1+B0008GLGMC:BP'

PIA+5+B0008GLGMC:BP'

# MOA MONETARY AMOUNT

Pos: 0290	Max: 5
Mandatory	
Group: 7	Elements: 1

**User Option (Usage):** Must use

**Function:** To specify a monetary amount.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MOA010	C516	<b>MONETARY AMOUNT</b>	M	Comp		Must use
		<b>Description:</b> Amount of goods or services stated as a monetary amount in a specified currency.				
MOA010-010	5025	<b>Monetary amount type qualifier</b>	M	an	1/3	Must use
		<b>Description:</b> Indication of type of amount.				
		<b>CodeList Summary</b> (Total Codes: 335, Included: 1)				
		<u>Code</u> <u>Name</u>				
		36E Cost of Goods sold				
MOA010-020	5004	<b>Monetary amount</b>	C	n	1/18	Used
		<b>Description:</b> Number of monetary units.				

## Example:

MOA+36E:79'

# Segment Group 8

Pos: 0320	Repeat: 1
Mandatory	
Group: 8	Elements: N/A

User Option (Usage): Must use

Function:

## Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0330	QTY	QUANTITY	M	1	Must use



# QTY QUANTITY

Pos: 0330	Max: 1
Mandatory	
Group: 8	Elements: 1

**User Option (Usage):** Must use

**Function:** To specify a pertinent quantity.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	<b>QUANTITY DETAILS</b>	M	Comp		Must use
		<b>Description:</b> Quantity information in a transaction, qualified when relevant.				
QTY010-010	6063	<b>Quantity qualifier</b>	M	an	1/3	Must use
		<b>Description:</b> Code giving specific meaning to a quantity.				
		<b>CodeList Summary</b> (Total Codes: 180, Included: 1)				
		<b><u>Code</u> <u>Name</u></b>				
		153 Statistical sales quantity / Quantity sold				
		<b>Description:</b> <i>Quantity of goods sold in a specified period.</i>				
QTY010-020	6060	<b>Quantity</b>	M	n	1/15	Must use
		<b>Description:</b> Numeric value of a quantity.				

## Example:

QTY+153:1'

# Segment Group 8

Pos: 0320	Repeat: 1
Mandatory	
Group: 8	Elements: N/A

User Option (Usage): Must use  
Function:

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0330	QTY	QUANTITY	M	1	Must use

# QTY QUANTITY

Pos: 0330	Max: 1
Mandatory	
Group: 8	Elements: 1

**User Option (Usage):** Must use

**Function:** To specify a pertinent quantity.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	<b>QUANTITY DETAILS</b>	M	Comp		Must use
		<b>Description:</b> Quantity information in a transaction, qualified when relevant.				
QTY010-010	6063	<b>Quantity qualifier</b>	M	an	1/3	Must use
		<b>Description:</b> Code giving specific meaning to a quantity.				
		<b>CodeList Summary</b> (Total Codes: 180, Included: 1)				
		<b><u>Code</u> <u>Name</u></b>				
		145 Actual stock / Quantity on hand sellable				
		<b>Description:</b> <i>The stock on hand, undamaged, and available for despatch, sale or use.</i>				
QTY010-020	6060	<b>Quantity</b>	M	n	1/15	Must use
		<b>Description:</b> Numeric value of a quantity.				

## Example:

QTY+145:45'

# Segment Group 8

Pos: 0320	Repeat: 1
Mandatory	
Group: 8	Elements: N/A

User Option (Usage): Must use

Function:

## Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0330	QTY	QUANTITY	M	1	Must use

# QTY QUANTITY

Pos: 0330	Max: 1
Mandatory	
Group: 8	Elements: 1

**User Option (Usage):** Must use

**Function:** To specify a pertinent quantity.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	<b>QUANTITY DETAILS</b>	M	Comp		Must use
		<b>Description:</b> Quantity information in a transaction, qualified when relevant.				
QTY010-010	6063	<b>Quantity qualifier</b>	M	an	1/3	Must use
		<b>Description:</b> Code giving specific meaning to a quantity.				
		<b>CodeList Summary</b> (Total Codes: 180, Included: 1)				
		<b><u>Code</u> <u>Name</u></b>				
		21    Quantity on order				
		<b>Description:</b> <i>The quantity which has been ordered.</i>				
QTY010-020	6060	<b>Quantity</b>	M	n	1/15	Must use
		<b>Description:</b> Numeric value of a quantity.				

## Example:

QTY+21:0'

# UNT MESSAGE TRAILER

Pos: 0360	Max: 1
Mandatory	
Group: N/A	Elements: 2

**User Option (Usage):** Must use

**Function:** To end and check the completeness of a message.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	<b>Number of segments in a message</b>	M	n	1/6	Must use
		<b>Description:</b> Control count of number of segments in a message.				
UNT020	0062	<b>Message reference number</b>	M	an	1/14	Must use
		<b>Description:</b> Unique message reference assigned by the sender.				

## Example:

UNT+22+1'

# UNZ INTERCHANGE TRAILER

Pos:	Max: 1
Mandatory	
Group: N/A	Elements: 2

**User Option (Usage):** Must use

**Function:** To end and check the completeness of an interchange.

## Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNZ010	0036	<b>Interchange control count</b>  <b>Description:</b> The number of messages and packages in an interchange or, if used, the number of groups in an interchange.	M	n	1/6	Must use
UNZ020	0020	<b>Interchange control reference</b>  <b>Description:</b> Unique reference assigned by the sender to an interchange.	M	an	1/14	Must use

## Example:

UNZ+1+8'