

EANCOM IFTMBC D01B

Booking confirmation message

Version: 1.0

Modified: 3/7/2017

Table of Contents

IFTMBC	Booking confirmation message	1
UNB	INTERCHANGE HEADER	3
UNH	Message header	5
BGM	Beginning of message	7
DTM	Date/time/period	8
FTX	Free text	9
Group 2	Segment Group 2	10
RFF	REFERENCE	11
DTM	DATE/TIME/PERIOD	12
DTM	DATE/TIME/PERIOD	13
Group 2	Segment Group 2	14
RFF	REFERENCE	15
Group 2	Segment Group 2	16
RFF	REFERENCE	17
Group 2	Segment Group 2	18
RFF	REFERENCE	19
Group 6	Segment Group 6	20
NAD	NAME AND ADDRESS	21
Group 7	Segment Group 7	22
CTA	CONTACT INFORMATION	23
COM	COMMUNICATION CONTACT	24
Group 6	Segment Group 6	25
NAD	NAME AND ADDRESS	26
Group 7	Segment Group 7	28
CTA	CONTACT INFORMATION	29
COM	COMMUNICATION CONTACT	30
Group 6	Segment Group 6	31
NAD	NAME AND ADDRESS	32
Group 7	Segment Group 7	33
CTA	CONTACT INFORMATION	34
COM	COMMUNICATION CONTACT	35
Group 9	Segment Group 9	36
GID	Goods item details	37
HAN	HANDLING INSTRUCTIONS	38
Group 11	Segment Group 11	39
MEA	MEASUREMENTS	40
Group 11	Segment Group 11	41
MEA	MEASUREMENTS	42
UNT	Message trailer	43
UNZ	INTERCHANGE TRAILER	44

IFTMBC

Booking confirmation message

Message Status=2

Definition: A message from a carrier or forwarder, to the consignor booking services, providing confirmation of a booking for a specified consignment. A confirmation may indicate that the booking of a consignment is accepted, pending, conditionally accepted or rejected.

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0010	UNB	INTERCHANGE HEADER	M	1	N0/0010	Must use

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0020	UNH	Message header	M	1	N1/0020	Must use
0030	BGM	Beginning of message	M	1	N1/0030	Must use
0060	DTM	Date/time/period	C	9	N1/0060	Must use
0070	FTX	Free text	C	99	N1/0070	Must use
0110		Segment Group 2	M	99	N1/0110	Must use
0120	RFF	REFERENCE	M	1	N1/0120	Must use
0130	DTM	DATE/TIME/PERIOD	C	9	N1/0130	Must use
0140	DTM	DATE/TIME/PERIOD	C	9	N1/0140	Must use
0150		Segment Group 2	M	99	N1/0150	Must use
0160	RFF	REFERENCE	M	1	N1/0160	Must use
0170		Segment Group 2	M	99	N1/0170	Must use
0180	RFF	REFERENCE	M	1	N1/0180	Must use
0190		Segment Group 2	C	99	N1/0190	Dependent
0200	RFF	REFERENCE	C	1	N1/0200	Used
0270		Segment Group 6	C	99	N1/0270	Must use
0280	NAD	NAME AND ADDRESS	M	1	N1/0280	Must use

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0300		Segment Group 7	C	9	N0/0300	Used

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0310	CTA	CONTACT INFORMATION	C	1	N1/0310	Used
0320	COM	COMMUNICATION CONTACT	C	9	N1/0320	Used
0330		Segment Group 6	C	99	N1/0330	Used
0340	NAD	NAME AND ADDRESS	M	1	N1/0340	Must use

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0360		Segment Group 7	C	9	N0/0360	Used

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0370	CTA	CONTACT INFORMATION	C	1	N1/0370	Used

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0380	COM	COMMUNICATION CONTACT	C	9	N1/0380	Used
0390		Segment Group 6	C	99	N1/0390	Used
0400	NAD	NAME AND ADDRESS	M	1	N1/0400	Must use

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0420		Segment Group 7	C	9	N0/0420	Used

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0430	CTA	CONTACT INFORMATION	C	1	N1/0430	Used
0440	COM	COMMUNICATION CONTACT	C	9	N1/0440	Used

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0450		Segment Group 9	C	999		Must use
0460	GID	Goods item details	M	1		Must use
0470	HAN	HANDLING INSTRUCTIONS	C	1	N2/0470	Must use

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0530		Segment Group 11	O	99		Must use

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0540	MEA	MEASUREMENTS	M	1	N2/0540	Must use

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0560		Segment Group 11	O	99		Used

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0570	MEA	MEASUREMENTS	M	1	N2/0570	Must use

Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0640	UNT	Message trailer	M	1	N3/0640	Must use

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0650	UNZ	INTERCHANGE TRAILER	M	1	N0/0650	Must use

UNB INTERCHANGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 7

User Option (Usage): Must use

Function: To start, identify and specify an interchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
UNB010	S001	SYNTAX IDENTIFIER	M	Comp		Must use						
Description: Identification of the agency controlling the syntax and indication of syntax level.												
UNB010-01 0	0001	Syntax identifier	M	a	4/4	Must use						
Description: Coded identification of the agency controlling a syntax and syntax level used in an interchange.												
CodeList Summary (Total Codes: 6, Included: 2)												
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>UNOA</td><td>UN/ECE level A</td></tr><tr><td>UNOC</td><td>UN/ECE level C</td></tr></table>							<u>Code</u>	<u>Name</u>	UNOA	UN/ECE level A	UNOC	UN/ECE level C
<u>Code</u>	<u>Name</u>											
UNOA	UN/ECE level A											
UNOC	UN/ECE level C											
UNB010-02 0	0002	Syntax version number	M	n	1/1	Must use						
Description: Version number of the syntax identified in the syntax identifier (0001).												
CodeList Summary (Total Codes: 3, Included: 1)												
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>2</td><td>Version 2</td></tr></table>							<u>Code</u>	<u>Name</u>	2	Version 2		
<u>Code</u>	<u>Name</u>											
2	Version 2											
UNB020	S002	INTERCHANGE SENDER	M	Comp		Must use						
Description: Identification of the sender of the interchange.												
UNB020-01 0	0004	Sender identification	M	an	1/35	Must use						
Description: Name or coded representation of the sender of a data interchange.												
UNB020-02 0	0007	Partner identification code qualifier	M	an	1/4	Must use						
Description: Qualifier referring to the source of codes for the identifiers of interchanging partners.												
CodeList Summary (Total Codes: 43, Included: 1)												
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>14</td><td>EAN (European Article Numbering Association)</td></tr></table>							<u>Code</u>	<u>Name</u>	14	EAN (European Article Numbering Association)		
<u>Code</u>	<u>Name</u>											
14	EAN (European Article Numbering Association)											
UNB030	S003	INTERCHANGE RECIPIENT	M	Comp		Must use						
Description: Identification of the recipient of the interchange.												
UNB030-01 0	0010	Recipient identification	M	an	1/35	Must use						
Description: Name or coded representation of the recipient of a data interchange.												
UNB030-02 0	0007	Partner identification code qualifier	M	an	1/4	Must use						

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
Description: Qualifier referring to the source of codes for the identifiers of interchanging partners. CodeList Summary (Total Codes: 43, Included: 1) <u>Code Name</u> 14 EAN (European Article Numbering Association)						
UNB040	S004	DATE/TIME OF PREPARATION	M	Comp		Must use
Description: Date/time of preparation of the interchange.						
UNB040-010	0017	Date of preparation	M	n	6/6	Must use
Description: Local date when an interchange or a functional group was prepared.						
UNB040-020	0019	Time of preparation	M	n	4/4	Must use
Description: Local time of day when an interchange or a functional group was prepared.						
UNB050	0020	Interchange control reference	M	an	1/14	Must use
Description: Unique reference assigned by the sender to an interchange.						
UNB090	0031	Acknowledgement request	O	n	1/1	Used
Description: Code determined by the sender for acknowledgement of the interchange.						
UNB100	0032	Communication agreement ID	M	an	1/35	Must use
Description: Identification by name or code of the type of agreement under which the interchange takes place.						

Example:

UNB+UNOC:2+<Sender GLN>:14+<Receiver GLN>:14+140407:0427+8++++1+EANCOM'

UNH Message header

Pos: 0020	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Function: To head, identify and specify a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
UNH010	0062	Message reference number	M	an	1/14	Must use				
Description: Description: Unique message reference assigned by the sender.										
UNH020	S009	MESSAGE IDENTIFIER	M	Comp		Must use				
UNH020-010	0065	Message type	M	an	1/6	Must use				
Description: Code identifying a type of message and assigned by its controlling agency.										
CodeList Summary (Total Codes: 49, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>IFTMBC</td><td>Booking confirmation message</td></tr></table>							<u>Code</u>	<u>Name</u>	IFTMBC	Booking confirmation message
<u>Code</u>	<u>Name</u>									
IFTMBC	Booking confirmation message									
UNH020-020	0052	Message version number	M	an	1/3	Must use				
Description: Version number of a message type.										
CodeList Summary (Total Codes: 2, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>D</td><td>Draft version/UN/EDIFACT Directory</td></tr></table>							<u>Code</u>	<u>Name</u>	D	Draft version/UN/EDIFACT Directory
<u>Code</u>	<u>Name</u>									
D	Draft version/UN/EDIFACT Directory									
UNH020-030	0054	Message release number	M	an	1/3	Must use				
Description: Release number within the current message type version number (0052).										
CodeList Summary (Total Codes: 3, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>01B</td><td>Release 2001 - B</td></tr></table>							<u>Code</u>	<u>Name</u>	01B	Release 2001 - B
<u>Code</u>	<u>Name</u>									
01B	Release 2001 - B									
UNH020-040	0051	Controlling agency, coded	M	an	1/3	Must use				
Description: Code to identify the agency controlling the specification, maintenance and publication of the message type.										
CodeList Summary (Total Codes: 2, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>UN</td><td>UN/CEFACT</td></tr></table>							<u>Code</u>	<u>Name</u>	UN	UN/CEFACT
<u>Code</u>	<u>Name</u>									
UN	UN/CEFACT									
UNH020-050	0057	Association assigned code	C	an	1/6	Must use				
Description: Indicates that the message is the EANCOM version 003 of the UNSM Booking Confirmation message.										
CodeList Summary (Total Codes: 10, Included: 1)										

<u>Code</u>	<u>Name</u>
EAN003	EAN version control number (EAN Code)

Example:

UNH+1+IFTMBC:D:01B:UN:EAN003'

BGM Beginning of message

Pos: 0030	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Function: To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT/MESSAGE NAME	C	Comp		Must use
BGM010-01 0	1001	Document name code	C	an	1/3	Must use

Description: Code specifying the document name.

CodeList Summary (Total Codes: 137, Included: 1)

Code Name

770 Booking confirmation

BGM020	C106	DOCUMENT/MESSAGE IDENTIFICATION	C	Comp		Must use
BGM020-01 0	1004	Document identifier	C	an	1/35	Must use

Description: Confirmation number assigned by the document sender.

Example:

BGM+770+511843898'

DTM Date/time/period

Pos: 0060	Max: 9
Conditional	
Group: N/A	Elements: 1

User Option (Usage): Must use

Function: To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use
DTM010-01 0	2005	Date or time or period function code qualifier	M	an	1/3	Must use

Description: Code qualifying the function of a date, time or period.

CodeList Summary (Total Codes: 194, Included: 1)

Code Name

137 Document/message date/time

DTM010-02 0	2380	Date or time or period value	C	an	1/35	Must use
----------------	------	------------------------------	---	----	------	----------

Description: The value of a date, a date and time, a time or of a period in a specified representation.

DTM010-03 0	2379	Date or time or period format code	C	an	1/3	Must use
----------------	------	------------------------------------	---	----	-----	----------

Description: Code specifying the representation of a date, time or period.

CodeList Summary (Total Codes: 30, Included: 1)

Code Name

102 CCYYMMDD

Example:

DTM+137:20021201:102'

FTX Free text

Pos: 0070	Max: 99
Conditional	
Group: N/A	Elements: 2

User Option (Usage): Must use

Function: To provide free form or coded text information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FTX010	4451	Text subject code qualifier	M	an	1/3	Must use

Description: Code qualifying the subject of the text.

CodeList Summary (Total Codes: 84, Included: 1)

Code Name

LOI Loading instruction

FTX040	C108	TEXT LITERAL	C	Comp		Must use
--------	------	--------------	---	------	--	----------

Description: This composite is only used if coded text cannot be used.

FTX040-010	4440	Free text value	M	an	1/512	Must use
------------	------	-----------------	---	----	-------	----------

Note: Load Type : PACKAGE or TL (Truck Load) or LTL (Less than a Truck Load)

FTX040-020	4440	Free text value	C	an	1/512	Must use
------------	------	-----------------	---	----	-------	----------

Note: Load Value : LOW or MEDIUM or HIGH

Segment Notes:

Shipment information:

Load Type: PACKAGE/TL/ LTL
Load Value: LOW/ MEDIUM/ HIGH

Example:

FTX+LOI+++TL:LOW'

Segment Group 2

Pos: 0110	Repeat: 99
Mandatory	
Group: 2	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0120	RFF	REFERENCE	M	1	Must use
0130	DTM	DATE/TIME/PERIOD	C	9	Must use
0140	DTM	DATE/TIME/PERIOD	C	9	Must use

RFF REFERENCE

Pos: 0120	Max: 1
Mandatory	
Group: 2	Elements: 1

User Option (Usage): Must use

Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
CodeList Summary (Total Codes: 157, Included: 1)						
Code Name						
BN Booking reference number						
RFF010-020	1154	Reference number	C	an	1/35	Must use
Description: Identification number of the booking request.						

Segment Notes:

You will receive in the RFF+BN segment the booking reference ID that you sent in the IFTMBF message. We recommend that you use the same ID as that which is used in the BGM+351 segment of the DESADV document.

There can only be one Routing Request per ASN.

Example:

RFF+BN:DES5A7441'

Should align with BGM+351:DES5A7441' from DESADV.

Booking Reference ID in IFTMBF and IFTMBC = Unique ASN ID in DESADV

DTM DATE/TIME/PERIOD

Pos: 0130	Max: 9
Conditional	
Group: 2	Elements: 1

User Option (Usage): Must use**Function:** To specify date, and/or time, or period.**Element Summary:**

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use

Description: Date and/or time, or period relevant to the specified date/time/period type.

DTM010-01 0	2005	Date/time/period qualifier	M	an	1/3	Must use
----------------	------	----------------------------	---	----	-----	----------

Description: Code giving specific meaning to a date, time or period.**CodeList Summary** (Total Codes: 156, Included: 1)**Code Name**

10 Shipment date/time, requested

DTM010-02 0	2380	Date/time/period	C	an	1/35	Must use
----------------	------	------------------	---	----	------	----------

Description: The value of a date, a date and time, a time or of a period in a specified representation.

DTM010-03 0	2379	Date/time/period format qualifier	C	an	1/3	Must use
----------------	------	-----------------------------------	---	----	-----	----------

Description: Specification of the representation of a date, a date and time or of a period.**CodeList Summary** (Total Codes: 26, Included: 1)**Code Name**

102 CCYYMMDD

Segment Notes:*You will receive in the DTM+10 segment the requested shipment collection date that you sent in the IFTMBF message.***Example:***DTM+10:20140408:102'*

DTM DATE/TIME/PERIOD

Pos: 0140	Max: 9
Conditional	
Group: 2	Elements: 1

User Option (Usage): Must use**Function:** To specify date, and/or time, or period.**Element Summary:**

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use

Description: Date and/or time, or period relevant to the specified date/time/period type.

DTM010-01 0	2005	Date/time/period qualifier	M	an	1/3	Must use
----------------	------	----------------------------	---	----	-----	----------

Description: Code giving specific meaning to a date, time or period.**CodeList Summary** (Total Codes: 156, Included: 1)**Code Name**

200 Pick-up/collection date/time of cargo

DTM010-02 0	2380	Date/time/period	C	an	1/35	Must use
----------------	------	------------------	---	----	------	----------

Description: The value of a date, a date and time, a time or of a period in a specified representation.

DTM010-03 0	2379	Date/time/period format qualifier	C	an	1/3	Must use
----------------	------	-----------------------------------	---	----	-----	----------

Description: Specification of the representation of a date, a date and time or of a period.**CodeList Summary** (Total Codes: 26, Included: 1)**Code Name**

203 CCYYMMDDHHMM

Segment Notes:*You will receive in the DTM+200 segment the scheduled shipment collection date.***Example:***DTM+200:201404091200:203'*

Segment Group 2

Pos: 0150	Repeat: 99
Mandatory	
Group: 2	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0160	RFF	REFERENCE	M	1	Must use

RFF REFERENCE

Pos: 0160	Max: 1
Mandatory	
Group: 2	Elements: 1

User Option (Usage): Must use

Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
CodeList Summary (Total Codes: 157, Included: 1)						
<u>Code</u> <u>Name</u>						
ACD Additional reference number						
RFF010-020	1154	Reference number	C	an	1/35	Must use
Description: Identification number of the ARN (Amazon Reference Number).						

Segment Notes:

This segment will contain the ARN (Amazon Reference Number). You must return this reference number on the segment RFF+ACD on the related DESADV message.

Example:

RFF+ACD:4479315901'

Segment Group 2

Pos: 0170	Repeat: 99
Mandatory	
Group: 2	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0180	RFF	REFERENCE	M	1	Must use

RFF REFERENCE

Pos: 0180	Max: 1
Mandatory	
Group: 2	Elements: 1

User Option (Usage): Must use

Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
CodeList Summary (Total Codes: 157, Included: 1)						
Code Name						
ON Order number (buyer)						
RFF010-020	1154	Reference number	C	an	1/35	Must use
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						
RFF010-030	1156	Line number	C	an	1/6	Must use
Description: Number of the line in the document/message referenced in 1154 Reference number.						

Segment Notes:

You will receive in the RFF+ON segment the Purchase Order IDs that you sent in the IFTMBF message. A Shipment might contain multiple POs. If the shipment contains multiple POs the "RFF010-030 - 1156" is used as a sequential counter.

Example:

```
RFF+ON:1AA1TEST':1'
RFF+ON:2AA2TEST':2'
RFF+ON:3AA3TEST':3'
```

Segment Group 2

Pos: 0190	Repeat: 99
Conditional	
Group: 2	Elements: N/A

User Option (Usage): Dependent

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0200	RFF	REFERENCE	C	1	Used

RFF REFERENCE

Pos: 0200	Max: 1
Conditional	
Group: 2	Elements: 1

User Option (Usage): Used

Function: To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a reference segment or a reference number.						
CodeList Summary (Total Codes: 157, Included: 1)						
Code Name						
BM Bill of lading number						
RFF010-020	1154	Reference number	C	an	1/35	Must use
Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.						

Segment Notes:

You will receive in the RFF+BM segment the Bill of Lading number if it has been sent in the IFTMBF message.

Example:

RFF+BM:ABCD12332'

Should align with RFF+BM:ABCD12332' from DESADV.

Segment Group 6

Pos: 0270	Repeat: 99
Conditional	
Group: 6	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0280	NAD	NAME AND ADDRESS	M	1	Must use
0300		Segment Group 7	C	9	Used

NAD NAME AND ADDRESS

Pos: 0280	Max: 1
Mandatory	
Group: 6	Elements: 3

User Option (Usage): Must use

Function: To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
NAD010	3035	PARTY QUALIFIER	M	an	1/3	Must use

Description: Code giving specific meaning to a party.

CodeList Summary (Total Codes: 99, Included: 1)

Code Name

CA Carrier

NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Must use
--------	------	------------------------------	---	------	--	----------

Description: Identification of a transaction party by code.

NAD020-010	3039	Party id. identification	M	an	1/35	Must use
------------	------	--------------------------	---	----	------	----------

Description: Code identifying a party involved in a transaction. Note: User or association defined code. May be used in combination with 1131/3055.

Note: Carrier SCAC ID

NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Must use
------------	------	-------------------------------------	---	----	-----	----------

Description: Code identifying the agency responsible for a code list.

CodeList Summary (Total Codes: 25, Included: 1)

Code Name

182 SCAC

NAD040	C080	PARTY NAME	C	Comp		Must use
--------	------	------------	---	------	--	----------

Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.

NAD040-010	3036	Party name	M	an	1/35	Must use
------------	------	------------	---	----	------	----------

Description: Name of a party involved in a transaction.

Note: Carrier Name in clear text.

Segment Notes:

You will receive in the NAD+CA segment the carrier SCAC ID and the carrier name that Amazon Transportation System has requested for the shipment.

Example:

NAD+CA+<SCAC>::182++<NAME OF THE CARRIER>'

Segment Group 7

Pos: 0300	Repeat: 9
Conditional	
Group: 7	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0310	CTA	CONTACT INFORMATION	C	1	Used
0320	COM	COMMUNICATION CONTACT	C	9	Used

CTA CONTACT INFORMATION

Pos: 0310	Max: 1
Conditional	
Group: 7	Elements: 2

User Option (Usage): Used

Function: To identify a person or a department to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
CTA010	3139	Contact function code	C	an	1/3	Used				
Description: Code specifying the function of a contact (e.g. department or person).										
CodeList Summary (Total Codes: 99, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>CA</td><td>Carrier</td></tr></table>							<u>Code</u>	<u>Name</u>	CA	Carrier
<u>Code</u>	<u>Name</u>									
CA	Carrier									
CTA020	C056	CONTACT DETAILS	C	Comp		Used				
Description: Code and/or name of a contact such as a department or employee. Code preferred.										
CTA020-020	3412	Contact name	C	an	1/256	Used				
Description: Name of a contact, such as a department or employee.										

Example:

CTA+CA+:<ContactName>'

COM COMMUNICATION CONTACT

Pos: 0320	Max: 9
Conditional	
Group: 7	Elements: 1

User Option (Usage): Used

Function: To identify a communication number of a department or a person to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
COM010	C076	COMMUNICATION CONTACT	M	Comp		Used

Description: Communication number of a department or employee in a specified channel.

COM010-01 0	3148	Communication address identifier	M	an	1/512	Used
----------------	------	----------------------------------	---	----	-------	------

Description: To identify a communication address.

COM010-02 0	3155	Communication means type code	M	an	1/3	Used
----------------	------	-------------------------------	---	----	-----	------

Description: Code specifying the type of communication address.

CodeList Summary (Total Codes: 46, Included: 2)

Code Name

EM Electronic mail

TE Telephone

Example:

```
COM+<CarrierTelNumber>:TE'
COM+<CarrierEmailAdress>:EM'
```

Segment Group 6

Pos: 0330	Repeat: 99
Conditional	
Group: 6	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0340	NAD	NAME AND ADDRESS	M	1	Must use
0360		Segment Group 7	C	9	Used

NAD NAME AND ADDRESS

Pos: 0340	Max: 1
Mandatory	
Group: 6	Elements: 7

User Option (Usage): Must use

Function: To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	PARTY QUALIFIER	M	an	1/3	Must use
Description: Code giving specific meaning to a party. CodeList Summary (Total Codes: 99, Included: 1) <u>Code</u> <u>Name</u> SF Ship from						
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Must use
Description: Identification of a transaction party by code.						
NAD020-010	3039	Party id. identification	M	an	1/35	Must use
Description: Ship From EAN number - Format n13						
NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Must use
Description: Code identifying the agency responsible for a code list. CodeList Summary (Total Codes: 25, Included: 2) <u>Code</u> <u>Name</u> 9 EAN (International Article Numbering association) 92 Assigned by buyer or buyer's agent						
NAD040	C080	PARTY NAME	C	Comp		Must use
Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.						
NAD040-010	3036	Party name	M	an	1/35	Must use
Description: Name of a party involved in a transaction.						
NAD050	C059	STREET	C	Comp		Must use
Description: Street address and/or PO Box number in a structured address: one to three lines.						
NAD050-010	3042	Street and number/p.o. box	M	an	1/35	Must use
Description: Street and number in plain language, or Post Office Box No. Note: <i>Building Name/Number and Street</i>						
NAD050-020	3042	Street and number/p.o. box	C	an	1/35	Must use
Description: Street and number in plain language, or Post Office Box No. Note: <i>Name and/or P.O. Box</i>						
NAD060	3164	CITY NAME	C	an	1/35	Must use

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		Description: Name of a city (a town, a village) for addressing purposes.				
NAD080	3251	POSTCODE IDENTIFICATION	C	an	1/9	Must use
		Description: Code defining postal zones or addresses. Note: Use code defined by appropriate national authority.				
NAD090	3207	COUNTRY, CODED	C	an	1/3	Must use
		Description: Identification of the name of a country or other geographical entity as specified in ISO 3166. Note: Use ISO 3166 two alpha country code.				

Example:

NAD+SF+<SUPPLIER WAREHOUSE GLN>.:9++COMPANY NAME+STREET AND NUMBER OR
P.O.BOX+CITY++ZIP
CODE+ISOCOUNTRYCODE'

NAD+SF+<AMAZON WAREHOUSE CODE>.:92++COMPANY NAME+STREET AND NUMBER OR
P.O.BOX+CITY++ZIP
CODE+ISOCOUNTRYCODE'

Segment Group 7

Pos: 0360	Repeat: 9
Conditional	
Group: 7	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0370	CTA	CONTACT INFORMATION	C	1	Used
0380	COM	COMMUNICATION CONTACT	C	9	Used

CTA CONTACT INFORMATION

Pos: 0370	Max: 1
Conditional	
Group: 7	Elements: 2

User Option (Usage): Used

Function: To identify a person or a department to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
CTA010	3139	Contact function code	C	an	1/3	Used				
Description: Code specifying the function of a contact (e.g. department or person).										
CodeList Summary (Total Codes: 99, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>SU</td><td>Supplier contact</td></tr></table>							<u>Code</u>	<u>Name</u>	SU	Supplier contact
<u>Code</u>	<u>Name</u>									
SU	Supplier contact									
CTA020	C056	CONTACT DETAILS	C	Comp		Used				
Description: Code and/or name of a contact such as a department or employee. Code preferred.										
CTA020-020	3412	Contact name	C	an	1/256	Used				
Description: Name of a contact, such as a department or employee.										

Example:

CTA+SU+:<ContactName>'

COM COMMUNICATION CONTACT

Pos: 0380	Max: 9
Conditional	
Group: 7	Elements: 1

User Option (Usage): Used

Function: To identify a communication number of a department or a person to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
COM010	C076	COMMUNICATION CONTACT	M	Comp		Used

Description: Communication number of a department or employee in a specified channel.

COM010-01 0	3148	Communication address identifier	M	an	1/512	Used
----------------	------	----------------------------------	---	----	-------	------

Description: To identify a communication address.

COM010-02 0	3155	Communication means type code	M	an	1/3	Used
----------------	------	-------------------------------	---	----	-----	------

Description: Code specifying the type of communication address.

CodeList Summary (Total Codes: 46, Included: 2)

Code Name

EM Electronic mail

TE Telephone

Example:

```
COM+<ShipperTelNumber>:TE'
COM+<ShipperEmailAdress>:EM'
```


Segment Group 6

Pos: 0390	Repeat: 99
Conditional	
Group: 6	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0400	NAD	NAME AND ADDRESS	M	1	Must use
0420		Segment Group 7	C	9	Used

NAD NAME AND ADDRESS

Pos: 0400	Max: 1
Mandatory	
Group: 6	Elements: 3

User Option (Usage): Must use

Function: To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
NAD010	3035	PARTY QUALIFIER	M	an	1/3	Must use				
Description: Code giving specific meaning to a party.										
CodeList Summary (Total Codes: 99, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>ST</td><td>Ship to</td></tr></table>							<u>Code</u>	<u>Name</u>	ST	Ship to
<u>Code</u>	<u>Name</u>									
ST	Ship to									
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Must use				
Description: Identification of a transaction party by code.										
NAD020-010	3039	Party id. identification	M	an	1/35	Must use				
Description: Ship To EAN number - Format n13										
NAD020-030	3055	Code list responsible agency, coded	C	an	1/3	Must use				
Description: Code identifying the agency responsible for a code list.										
CodeList Summary (Total Codes: 25, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>9</td><td>EAN (International Article Numbering association)</td></tr></table>							<u>Code</u>	<u>Name</u>	9	EAN (International Article Numbering association)
<u>Code</u>	<u>Name</u>									
9	EAN (International Article Numbering association)									
NAD090	3207	COUNTRY, CODED	C	an	1/3	Must use				
Description: Identification of the name of a country or other geographical entity as specified in ISO 3166. Note: Use ISO 3166 two alpha country code.										

Example:

NAD+ST+<ShipTo GLN>::9++++++/SOCOUNTRYCODE'

Segment Group 7

Pos: 0420	Repeat: 9
Conditional	
Group: 7	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0430	CTA	CONTACT INFORMATION	C	1	Used
0440	COM	COMMUNICATION CONTACT	C	9	Used

CTA CONTACT INFORMATION

Pos: 0430	Max: 1
Conditional	
Group: 7	Elements: 2

User Option (Usage): Used

Function: To identify a person or a department to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTA010	3139	Contact function code	C	an	1/3	Used
Description: Code specifying the function of a contact (e.g. department or person).						
CodeList Summary (Total Codes: 99, Included: 1)						
<u>Code</u> <u>Name</u>						
RD Receiving dock contact						
CTA020	C056	CONTACT DETAILS	C	Comp		Used
Description: Code and/or name of a contact such as a department or employee. Code preferred.						
CTA020-020	3412	Contact name	C	an	1/256	Used
Description: Name of a contact, such as a department or employee.						

Example:

CTA+RD+:<ContactName>'

COM COMMUNICATION CONTACT

Pos: 0440	Max: 9
Conditional	
Group: 7	Elements: 1

User Option (Usage): Used

Function: To identify a communication number of a department or a person to whom communication should be directed.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
COM010	C076	COMMUNICATION CONTACT	M	Comp		Used

Description: Communication number of a department or employee in a specified channel.

COM010-01 0	3148	Communication address identifier	M	an	1/512	Used
----------------	------	----------------------------------	---	----	-------	------

Description: To identify a communication address.

COM010-02 0	3155	Communication means type code	M	an	1/3	Used
----------------	------	-------------------------------	---	----	-----	------

Description: Code specifying the type of communication address.

CodeList Summary (Total Codes: 46, Included: 2)

Code Name

EM Electronic mail

TE Telephone

Example:

```
COM+<ReceiverTelNumber>:TE'
COM+<ReceiverEmailAdress>:EM'
```

Segment Group 9

Pos: 0450	Repeat: 999
Conditional	
Group: 9	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0460	GID	Goods item details	M	1	Must use
0470	HAN	HANDLING INSTRUCTIONS	C	1	Must use
0530		Segment Group 11	O	99	Must use
0560		Segment Group 11	O	99	Used

GID Goods item details

Pos: 0460	Max: 1
Mandatory	
Group: 9	Elements: 3

User Option (Usage): Must use

Function: To indicate totals of a goods item.

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
GID010	1496	Goods item number	C	n	1/5	Must use
Description: Application number identifying items within the current consignment.						
GID020	C213	NUMBER AND TYPE OF PACKAGES	C	Comp		Must use
GID020-010	7224	Package quantity	C	n	1/8	Must use
Description: To specify the number of packages.						
GID020-020	7065	Package type description code	C	an	1/17	Must use
Note: "PX" if non-standard pallet. "201" only for standard pallet.						
CodeList Summary (Total Codes: 149, Included: 2)						
Code Name						
PX Pallet						
201 Pallet ISO 1 - 1/1 EURO Pallet (EAN Code)						
GID030	C213	NUMBER AND TYPE OF PACKAGES	C	Comp		Must use
Note: Only one carton quantity will be sent representing the declared carton quantity for the entire shipment sent by the Shipper in the IFTMBF. It will only be transmitted on the first GID loop.						
GID030-010	7224	Package quantity	C	n	1/8	Must use
Description: To specify the number of packages.						
GID030-020	7065	Package type description code	C	an	1/17	Must use
Description: Code specifying the type of package.						
CodeList Summary (Total Codes: 149, Included: 1)						
Code Name						
CT Carton						

Segment Notes:

For shipments containing only parcels the value 0 will be sent for pallet count as below:
 GID+1+0+11:CT - The shipment contains 0 pallet and 11 cartons.

Example:

If the shipment contains different pallet types:
 GID+1+4:201::9' - 1st GID Loop: 4 standard pallets.
 GID+2+1:PX::9' - 2nd GID Loop: 1 non-standard pallet.

If the shipment contains only cartons:
 GID+1+0+11:CT' - 11 cartons.

HAN HANDLING INSTRUCTIONS

Pos: 0470	Max: 1
Conditional	
Group: 9	Elements: 1

User Option (Usage): Must use
Function: To specify handling and where necessary, notify hazards.

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
HAN010	C524	HANDLING INSTRUCTIONS	C	Comp		Must use
Description: Instruction for the handling of goods, products or articles in shipment, storage etc.						
HAN010-010	4079	Handling instruction description code	C	an	1/3	Must use
Description: Code specifying a handling instruction.						
CodeList Summary (Total Codes: 11, Included: 1)						
Code Name						
3 Stacked						

Segment Notes:

This segment will be sent if the pallet(s) is/are stackable.

Example:

HAN+3'
Pallet stackable

Segment Group 11

Pos: 0530	Repeat: 99
Optional	
Group: 11	Elements: N/A

User Option (Usage): Must use

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0540	MEA	MEASUREMENTS	M	1	Must use

MEA MEASUREMENTS

Pos: 0540	Max: 1
Mandatory	
Group: 11	Elements: 3

User Option (Usage): Must use

Function: To specify physical measurements, including dimension tolerances, weights and counts.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA010	6311	Measurement purpose code qualifier	M	an	1/3	Must use
Description: Code qualifying the purpose of the measurement.						
CodeList Summary (Total Codes: 102, Included: 1)						
Code Name						
AAE Measurement						
MEA020	C502	MEASUREMENT DETAILS	C	Comp		Must use
Description: Identification of measurement type.						
MEA020-010	6313	Measured attribute code	C	an	1/3	Must use
Description: Code specifying the attribute measured.						
CodeList Summary (Total Codes: 258, Included: 1)						
Code Name						
G Gross weight						
MEA030	C174	VALUE/RANGE	C	Comp		Must use
Description: Measurement value and relevant minimum and maximum values of the measurement range.						
MEA030-010	6411	Measurement unit code	M	an	1/8	Must use
Description: Code specifying the unit of measurement. Note: 1 Recommend use UN/ECE Recommendation 20, Common code.						
CodeList Summary (Total Codes: 71, Included: 1)						
Code Name						
KGM Kilogram						
MEA030-020	6314	Measure	C	an	1/18	Must use
Description: To specify the value of a measurement.						

Segment Notes:

Weight value transmitted represents the total shipment weight and will only be transmitted on the first GID loop.

Example:

MEA+AAE+G+KGM:1600'

Segment Group 11

Pos: 0560	Repeat: 99
Optional	
Group: 11	Elements: N/A

User Option (Usage): Used

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Usage</u>
0570	MEA	MEASUREMENTS	M	1	Must use

MEA MEASUREMENTS

Pos: 0570	Max: 1
Mandatory	
Group: 11	Elements: 3

User Option (Usage): Must use

Function: To specify physical measurements, including dimension tolerances, weights and counts.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA010	6311	Measurement purpose code qualifier	M	an	1/3	Must use
Description: Code qualifying the purpose of the measurement.						
CodeList Summary (Total Codes: 102, Included: 1)						
Code Name						
AAE Measurement						
MEA020	C502	MEASUREMENT DETAILS	C	Comp		Must use
Description: Identification of measurement type.						
MEA020-010	6313	Measured attribute code	C	an	1/3	Must use
Description: Code specifying the attribute measured.						
CodeList Summary (Total Codes: 258, Included: 1)						
Code Name						
AAW Gross volume						
MEA030	C174	VALUE/RANGE	C	Comp		Must use
Description: Measurement value and relevant minimum and maximum values of the measurement range.						
MEA030-010	6411	Measurement unit code	M	an	1/8	Must use
Description: Code specifying the unit of measurement. Note: 1 Recommend use UN/ECE Recommendation 20, Common code.						
CodeList Summary (Total Codes: 71, Included: 1)						
Code Name						
MTQ Cubic meter						
MEA030-020	6314	Measure	C	an	1/18	Must use
Description: To specify the value of a measurement.						

Segment Notes:

Volume value transmitted represents the total shipment volume and will only be transmitted on the first GID loop

Example:

MEA+AAE+AAW+MTQ:5

UNT Message trailer

Pos: 0640	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Function: To end and check the completeness of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	Number of segments in a message	M	n	1/10	Must use
Description: Control count of number of segments in a message.						
UNT020	0062	Message reference number	M	an	1/14	Must use
Description: Unique message reference assigned by the sender.						

Segment Notes:

The UNT segment is a mandatory UN/EDIFACT segment. It will always be the last segment in the message.

Example:

UNT+14+1'

UNZ INTERCHANGE TRAILER

Pos: 0650	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Function: To end and check the completeness of an interchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNZ010	0036	Interchange control count	M	n	1/6	Must use
Description: Count either of the number of messages or, if used, of the number of functional groups in an interchange.						
UNZ020	0020	Interchange control reference	M	an	1/14	Must use
Description: Unique reference assigned by the sender to an interchange.						

Segment Notes:

UNZ+1+99'